

| | | | | | | | |
|-----------|------|--|-------------------------------------|-----------------------|--|-----|--------------|
| Schatz | 1995 | Nail incorporation kinetics of terbinafine in onychomycosis patients | <i>Clin Exp Dermatol</i> | oral | Terbinafine | 20 | Not reported |
| Bräutigam | 1996 | German randomized double-blind multicentre comparison of terbinafine and itraconazole for the treatment of toenail tinea infection | <i>Br J Dermatol</i> | oral | Terbinafine, itraconazole | 195 | Not reported |
| Odom | 1996 | A double-blind, randomized comparison of itraconazole capsules and placebo in the treatment of onychomycosis of the toenail | <i>JAAD</i> | oral | Itraconazole | 75 | Not reported |
| Havu | 1997 | A double-blind, randomized study comparing itraconazole pulse therapy with continuous dosing for the treatment of toe-nail onychomycosis | <i>Br J Dermatol</i> | oral | Itraconazole | 129 | Not reported |
| Ellis | 1997 | Non-dermatophytes in onychomycosis of the toenails | <i>Br J Dermatol</i> | oral | Terbinafine | 118 | Not reported |
| Ling | 1998 | Once-weekly fluconazole (450 mg) for 4, 6, or 9 months of treatment for distal subungual onychomycosis of the toenail | <i>JAAD</i> | oral | Fluconazole | 384 | Not reported |
| de Backer | 1998 | Twelve weeks of continuous oral therapy for toenail onychomycosis caused by dermatophytes: a double-blind comparative trial of terbinafine 250 mg/day versus itraconazole 200 mg/day | <i>JAAD</i> | oral | Terbinafine, itraconazole | 378 | Not reported |
| Degreef | 1999 | Randomized double-blind comparison of short-term itraconazole and terbinafine therapy for toenail onychomycosis | <i>Acta Derm Venereol</i> | oral | Itraconazole, terbinafine | 297 | Not reported |
| Havu | 1999 | Continuous and intermittent itraconazole dosing schedules for the treatment of onychomycosis: a pharmacokinetic comparison | <i>Br J Dermatol</i> | oral | Itraconazole | 129 | Not reported |
| Warsaw | 2001 | Intermittent terbinafine for toenail onychomycosis: is it effective? Results of a randomized pilot trial | <i>Arch Dermatol</i> | oral | Terbinafine | 15 | Not reported |
| Lebwohl | 2001 | Efficacy and safety of terbinafine for nondermatophyte and mixed nondermatophyte and dermatophyte toenail onychomycosis | <i>Int J Dermatol</i> | oral | Terbinafine | 97 | Not reported |
| Baran | 2001 | Topical amorolfine for 15 months combined with 12 weeks of oral terbinafine, a cost-effective treatment for onychomycosis | <i>Br J Dermatol</i> | oral and topical | Amorolfine 5% nail lacquer +oral terbinafine, oral terbinafine | 147 | Not reported |
| Elewski | 2002 | Reactivity to trichophytin antigen in patients with onychomycosis: effect of terbinafine | <i>JAAD</i> | oral | Terbinafine | 42 | Not reported |
| Avner | 2005 | Combination of oral terbinafine and topical ciclopirox compared to oral terbinafine for the treatment of onychomycosis | <i>J Dermatolog Treat</i> | oral and topical | Ciclopirox 8% lacquer, oral terbinafine | 80 | Not reported |
| Gupta | 2005 | A phase I/II randomized, double-blind, placebo-controlled, dose-ranging study evaluating the efficacy, safety and pharmacokinetics of ravuconazole in the treatment of onychomycosis | <i>J Eur Acad Dermatol Venereol</i> | oral | Ravuconazole | 150 | Not reported |
| Gupta | 2009 | The use of an intermittent terbinafine regimen for the treatment of dermatophyte toenail onychomycosis | <i>J Eur Acad Dermatol Venereol</i> | oral | Terbinafine, itraconazole | 142 | Not reported |
| Malay | 2009 | Efficacy of debridement alone versus debridement combined with topical antifungal nail lacquer for the treatment of pedal onychomycosis: a randomized, controlled trial | <i>J Foot Ankle Surg</i> | topical + debridement | Ciclopirox 8% nail lacquer, debridement | 55 | Not reported |
| Pajaziti | 2015 | Treatment of Onychomycosis - a Clinical Study | <i>Med Arch</i> | oral and topical | Fluconazole, itraconazole continuous, itraconazole pulse, terbinafine, terbinafine + ciclopirox 8% | 133 | Not reported |